

## **Product Data Sheet**

# mmu-miR-10b-5p miRNA Antagomir

Catalog #	Source	Reactivity	Applications
CIN0046	Synthetic	Μ	
Description	Syr	thetic miRNA A	ntagomir is used to inhibit the activity of target mmu-miR-10b-5p
	mF	NA.	
Specificity	An	tagomir is chemi	ically-modified single-strand miRNA inhibitor functioning by
	blo	cking miRNA reg	gulation of target gene expression efficiently. They are synthesized
	to	reduce the abilit	y of endogenous miRNAs to silence target mRNA transcripts.
	The	ey can down-reg	ulate the corresponding endogenous miRNAs. Our miRNA
	ant	agomir is single-	-strand miRNA inhibitor carrying the chemically modifications
	fur	ictioning by bloc	king miRNA regulation of target gene expression efficiently.
Form	Lyc	philized powder	
Gene Symbol	mr	nu-miR-10b-5p	
Accession No.	MI	MAT0000208	
Components	Thi	s synthetic miRN	IA is based on the mature miRNA sequence. The strand of the
	ant	agomir has 2 ph	osphorothioates at the 5' end, 4 phosphorothioates, 1
	cho	olesterol group a	t the 3' end, and full-length nucleotide 2'-methoxy modification.
	Sta	bility of miRNA a	antagomir appears to be significantly higher than miRNA
	inh	ibitors. It exhi	bits enhanced cellular uptake, stability and regulatory activity and
	is r	ecommended fo	r miRNA functional studies in vitro and in vivo.
<b>Directions for</b>	<b>Use</b> Bri	efly centrifuge to	ubes containing miRNA antagomir to ensure that the miRNA
	pe	let is located at	the bottom of the tube. Dissolve miRNA antagomir to a
	COI	nvenient stock co	oncentration using the recommended volume of DEPC H2O (or
	RN	ase-free water).	For example: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com