

Product Data Sheet

Rabbit Anti-Duck IgG (H&L) - FITC

Catalog #	Source	Reactivity	Applications		
CSA2355	Rabbit	Dk	E, IH, IF, FC		
Description	I	Rabbit Polyclonal Secondary Antibody to Duck IgG (H&L) FITC			
Immunogen	I	Duck IgG			
Purification	-	The antibody was isolated from antisera by immunoaffinity chromatography using			
	ä	antigens coupled to agaros	e beads.		
Specificity By immunoelectrophoresis and			and ELISA this antibody reacts specifically with Duck IgG.		
	I	No antibody was detected	against non immunoglobulin serum proteins.		
Clonality	I	Polyclonal			
Conjugation	I	FITC			
Form	:	1 mg/ml. Liquid in 0.01M F	Phosphate Buffered Saline, pH 7.2, containing 1% BSA,		
	Į	50% glycerol, 0.05% Sodiur	n Azide		
Dilution		IH (1/100 - 1/1000), IF (1/100 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay			
	(dependent concentration)			
Fluorophore	I	Ex/Em = 493⁄528 nm			
Storage/Stabi	lity S	Shipped at 4°C. Upon delivery aliquot and store at -20°C for one year. Avoid			
	t	freeze/thaw cycles.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com