

Product Data Sheet

Mouse Anti-Dog IgM mu chain - FITC

			_			
Catalog #	Source	Reactivity	Applications			
CSA2372	Mouse	D	E, IH, IF, FC			
Description	M	ouse Monoclonal Secon	dary Antibody to Dog IgM mu chain FITC labeled			
Immunogen	Do	og IgM mu chain				
Purification	Th	The antibody was isolated from ascitic by immunoaffinity chromatography using				
	an	ntigens coupled to agaro	se beads.			
Specificity	Ву	immunoelectrophoresi	s and ELISA this antibody reacts specifically with Dog IgM			
	m	u chain. No antibody wa	s detected against non immunoglobulin serum proteins.			
Clonality	M	onoclonal				
Conjugation	FIT	тс				
Form		1 mg/ml. Liquid in 0.01M Phosphate Buffered Saline, pH 7.2, containing 1% BSA,				
	50)% glycerol, 0.05% Sodiu	m Azide			
Dilution	ІН	IH (1/100 - 1/1000), IF (1/100 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay				
	de	ependent concentration)				
Fluorophore	Ex	:/Em = 493/528 nm				
Storage/Stabi	lity Sh	iipped at 4 $^\circ~$ C. Upon de	livery aliquot and store at -20 $^\circ~$ C for one year. Avoid			
	fre	eeze/thaw cycles.				

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com