

## **Product Data Sheet**

## Donkey Anti-Goat IgG (H&L) - TRITC

Catalog #	Source	Reactivity	Applications	
CSA2667	Donkey	G	E, IH, IF, FC	
Description	D	Donkey Polyclonal Secondary Antibody to Goat IgG (H&L) TRITC labeled		
Immunogen	G	ioat IgG		
Purification	Tl	The antibody was isolated from antisera by immunoaffinity chromatography using		
	aı	ntigens coupled to agaros	e beads.	
Specificity		By immunoelectrophoresis and ELISA this antibody reacts specifically with Goat IgG.		
	N	o antibody was detected	against non immunoglobulin serum proteins.	
Clonality	Pe	olyclonal		
Conjugation	TI	RITC		
Form	1	mg/ml. Liquid in 0.01M F	Phosphate Buffered Saline, pH 7.2, containing 1% BSA,	
	50	0% glycerol, 0.02% Sodiui	m Azide	
Dilution	IH	ተ (1/100 - 1/1000), IF (1/10	0 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay	
	d	ependent concentration)		
Fluorophore	Ex	Ex/Em = 595/613 nm		
Storage/Stabi	lity SI	hipped at 4°C. Upon deliv	ery aliquot and store at -20°C for one year. Avoid	
	fr	reeze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com