

## **Product Data Sheet**

## Mouse Anti-Dog IgM mu chain - AP

Catalog #	Source	Reactivity	Applications
CSA2872	Mouse	D	E, WB, IH, IC
Description	N	Mouse Monoclonal Seconda	ry Antibody to Dog IgM mu chain AP labeled
Immunogen	0	Dog IgM mu chain	
Purification	Т	The antibody was isolated f	om ascitic by immunoaffinity chromatography using
	a	antigens coupled to agarose	beads.
Specificity	В	By immunoelectrophoresis	and ELISA this antibody reacts specifically with Dog IgM
	n	nu chain. No antibody was	detected against non immunoglobulin serum proteins.
Clonality	N	Monoclonal	
Conjugation	Δ	<b>Λ</b> P	
Form	1	L mg/ml. Liquid in 0.01M Ph	osphate Buffered Saline, pH 7.2, containing 1% BSA,
	5	50% glycerol, 0.02% Sodium	Azide
Dilution	Е	E (1/10000 - 1/50000), WB (1	/5000 - 1/20000), IH (1/500 - 1/1000), IC (1/500 - 1/1000)
Fluorophore			
Storage/Stabi	lity S	Shipped at 4°C. Upon deliv	ery aliquot and store at -20 $^\circ$ C for one year. Avoid
	f	reeze/thaw cycles.	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com