

Product Data Sheet

Goat Anti-Quail IgY (H&L) - AP

Catalog #	Source	e Reactivity	Applications	
CSA2878	Goat	Quail	E, WB, IH, IC	
Description		Goat Polyclonal Secondary Antibody to Quail IgY (H&L) AP labeled		
Immunogen		Quail IgY		
Purification		The antibody was isolated	from antisera by immunoaffinity chromatography using	
		antigens coupled to agaro	se beads.	
Specificity		By immunoelectrophoresis	s and ELISA this antibody reacts specifically with Quail IgY.	
		No antibody was detected	against non immunoglobulin serum proteins.	
Clonality		Polyclonal		
Conjugation		AP		
Form		1 mg/ml. Liquid in 0.01M	Phosphate Buffered Saline, pH 7.2, containing 1% BSA,	
		50% glycerol, 0.02% Sodiu	m Azide	
Dilution		E (1/10000 - 1/50000), WB	(1/5000 - 1/20000), IH (1/500 - 1/1000), IC (1/500 - 1/1000)	
Fluorophore				
Storage/Stabi	ility	Shipped at 4° C. Upon de	livery aliquot and store at -20 $^\circ$ C for one year. Avoid	
		freeze/thaw cycles.		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com