

Product Data Sheet

Mouse Anti-Bovine IgG - APC

Catalog #	Source	Reactivity	Applications		
CSA4875	Mouse	В	E, IH, IF, FC		
Description	Мо	Mouse Monoclonal Secondary Antibody to Bovine IgG APC labeled			
Immunogen	Во	vine IgG			
Purification	Th	e antibody was isolated	I from ascitic by immunoaffinity chromatography using		
	an	tigens coupled to agarc	se beads.		
Specificity	Ву	immunoelectrophores	is and ELISA this antibody reacts specifically with Bovine		
	lgC	6. No antibody was det	ected against non immunoglobulin serum proteins.		
Clonality	Mo	onoclonal			
Conjugation	AP	с			
Form	1 r	ng/ml. Liquid in 0.01M	Phosphate Buffered Saline, pH 7.2, containing 1% BSA,		
	50	% glycerol, 0.02% Sodiı	ım Azide		
Dilution	IH	(1/100 - 1/1000), IF (1/1	00 - 1/1000), FC (1/1000 - 1/4000), E (Use at an assay		
	de	pendent concentration)		
Fluorophore	Ex,	/Em = 651/662 nm			
Storage/Stabi	lity Shi	ipped at 4 $^\circ~$ C. Upon de	livery aliquot and store at -20 $^\circ$ C for one year. Avoid		
	fre	eze/thaw cycles.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com