

Product Data Sheet

Anti-CD32 Antibody-PE labled

Catalog #	Source	e Reactivity	Applications		
CFF8516	Mouse	e H	IF, FC		
Description		Mouse monoclonal antiboo	dy PE labled to CD32		
Immunogen		Native purified human CD3	2.		
Purification		The antibody was purified	by affinity chromatography.		
Specificity		Recognizes human CD32			
Clonality		Monoclonal (clone: IV-3)			
Conjugation		PE			
Form		Mouse IgG2a. Liquid in PBS, pH 7.3, 0.2% BSA, and 0.02% sodium azide.			
Dilution		10 μl / assay			
Gene Symbol		FCGR2A			
Alternative Names		CD32; FCG2; FCGR2A1; IGFR2; Low affinity immunoglobulin gamma Fc region			
		receptor II-a; IgG Fc recepto	or II-a; CDw32; Fc-gamma RII-a; Fc-gamma-RIIa; FcRII-a;		
		CD32			
Entrez Gene		2212, 2213, 9103 (Human)			
SwissProt		P12318, P31994, P31995 (H	Human)		
Directions for Use		1. Take 100 μl peripheral bl	ood anticoagulated by EDTA and add to the bottom of 5		
		ml tube.			
		2. Add 10 μ l labeled antibo	dy to the bottom of flow tube mixing with the whole		
		blood, incubate for 20 min	utes at room temperature away from light.		
		3. Add 2 ml RBC lysis buffer	r, incubate for 10 minutes away from light after mixing,		
		dissolve red blood cells.			
		4. Sample tube is set to 100	00 rpm centrifugation for 5 minutes, discard the		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

supernatant.

5. Add 2 ml PBS wash buffer to resuspend the cells, then 1000 rpm centrifugation for 5 minutes, discard the supernatant.

6. Add 0.5 ml PBS wash buffer to resuspend the cells and detect by flow cytometry (sample should be determined on the day on the machine and can also be added fixation overnight at 4 °C then measured).

Storage/Stability Shipped and store at 4°C for one year. Do not freeze.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com