

## **Product Data Sheet**

# Anti-CD33 Antibody-PE/Cy5.5 labled

Catalog #	Source	Reactivity	Applications		
CFH8518	Mouse	н	IF, FC		
Description		Mouse monoclonal antibody PE/Cy5.5 labled to CD33			
Immunogen		Native purified human CD3	3.		
Purification		The antibody was purified I	by affinity chromatography.		
Specificity		Recognizes human CD33			
Clonality		Monoclonal (clone: WM53)			
Conjugation		PE/Cy5.5			
Form		Mouse IgG1 kappa. Liquid in PBS, pH 7.3, 0.2% BSA, and 0.02% sodium azide.			
Dilution		10 μl / assay			
Gene Symbol		CD33			
Alternative Names		SIGLEC3; Myeloid cell surface antigen CD33; Sialic acid-binding Ig-like lectin 3;			
		Siglec-3; gp67; CD antigen (	CD33		
Entrez Gene		945 (Human)			
SwissProt		P20138 (Human)			
Directions for Use		1. Take 100 μl peripheral bl	ood anticoagulated by EDTA and add to the bottom of 5		
		ml tube.			
		2. Add 10 $\mu$ l labeled antibo	dy to the bottom of flow tube mixing with the whole		
		blood, incubate for 20 minu	ites at room temperature away from light.		
		3. Add 2 ml RBC lysis buffer	, incubate for 10 minutes away from light after mixing,		
		dissolve red blood cells.			
		4. Sample tube is set to 100	0 rpm centrifugation for 5 minutes, discard the		
		supernatant.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



### **Product Data Sheet**

5. Add 2 ml PBS wash buffer to resuspend the cells, then 1000 rpm centrifugation for 5 minutes, discard the supernatant.

6. Add 0.5 ml PBS wash buffer to resuspend the cells and detect by flow cytometry (sample should be determined on the day on the machine and can also be added fixation overnight at 4 °C then measured).

**Storage/Stability** Shipped and store at 4°C for one year. Do not freeze.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com