

# **Product Data Sheet**

### hsa-miR-30c-5p miRNA Antagomir

Catalog #	Source	Reactivity	Applications	
CIJ0053	Synthetic	Н		
Description	Sy	nthetic miRNA A	ntagomir is used to inhibit the activity of target hsa-miR-30c-5p	
	m	RNA.		
Specificity	Ai	ntagomir is chemi	ically-modified single-strand miRNA inhibitor functioning by	
	bl	ocking miRNA reg	gulation of target gene expression efficiently. They are synthesized	
	to	reduce the abilit	y of endogenous miRNAs to silence target mRNA transcripts.	
	Tł	ney can down-reg	ulate the corresponding endogenous miRNAs. Our miRNA	
	ar	ntagomir is single-	-strand miRNA inhibitor carrying the chemically modifications	
	fu	nctioning by bloc	king miRNA regulation of target gene expression efficiently.	
Form	Ly	ophilized powder		
Gene Symbol	hs	a-miR-30c-5p		
Accession No.	. M	IMAT0000244		
Components	Tł	is synthetic miRN	IA is based on the mature miRNA sequence. The strand of the	
	ar	ntagomir has 2 ph	osphorothioates at the 5' end, 4 phosphorothioates, 1	
	cł	olesterol group a	t the 3' end, and full-length nucleotide 2'-methoxy modification.	
	St	ability of miRNA	antagomir appears to be significantly higher than miRNA	
	in	hibitors. It exhi	bits enhanced cellular uptake, stability and regulatory activity and	
	is	recommended fo	r miRNA functional studies in vitro and in vivo.	
Directions for	<b>Directions for Use</b> Briefly centrifuge tubes containing miRNA antagomir to ensure that the miRNA			
	pe	ellet is located at	the bottom of the tube. Dissolve miRNA antagomir to a	
	СС	onvenient stock co	oncentration using the recommended volume of DEPC H2O (or	
	RI	Nase-free water).	For example: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com