

Product Data Sheet

hsa-miR-217 miRNA Antagomir

Catalog #	Source	Reactivity	Applications			
CIJ0079	Synthetic	н				
Description	Synthetic miRNA Antagomir is used to inhibit the activity of target hsa-miR-217					
	mRN	Α.				
Specificity	Anta	Antagomir is chemically-modified single-strand miRNA inhibitor functioning by				
	block	blocking miRNA regulation of target gene expression efficiently. They are synthesized				
	to re	to reduce the ability of endogenous miRNAs to silence target mRNA transcripts.				
	They	They can down-regulate the corresponding endogenous miRNAs. Our miRNA				
	antagomir is single-stra		miRNA inhibitor carrying the chemically modifications			
	funct	tioning by blocking m	iRNA regulation of target gene expression efficiently.			
Form	Lyop	hilized powder				
Gene Symbol	hsa-r	miR-217				
Accession No.	MIM	MIMAT0000274				
Components	This	This synthetic miRNA is based on the mature miRNA sequence. The strand of the				
	anta	gomir has 2 phospho	rothioates at the 5' end, 4 phosphorothioates, 1			
	chole	cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.				
	Stabi	Stability of miRNA antagomir appears to be significantly higher than miRNA				
	inhib	itors. It exhibits en	hanced cellular uptake, stability and regulatory activity and			
	is rec	commended for miRN	A functional studies in vitro and in vivo.			
Directions for	Use Brief	Briefly centrifuge tubes containing miRNA antagomir to ensure that the miRNA				
	pelle	t is located at the bo	tom of the tube. Dissolve miRNA antagomir to a			
	conv	enient stock concent	ration using the recommended volume of DEPC H2O (or			
	RNas	e-free water). For exa	ample: dissolve 10 nmol miRNA antagomir to 20 μM using			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com