

# **Product Data Sheet**

### hsa-miR-135a-5p miRNA Antagomir

Catalog #	Source	F	Reactivity	Applications
CIJ0101	Synthet	tic F	1	
Description		Synthetic	miRNA Anta	agomir is used to inhibit the activity of target hsa-miR-135a-5p
	I	mRNA.		
Specificity	1	Antagomi	r is chemica	Illy-modified single-strand miRNA inhibitor functioning by
	I	blocking r	niRNA regu	lation of target gene expression efficiently. They are synthesized
	t	to reduce	the ability	of endogenous miRNAs to silence target mRNA transcripts.
	-	They can	down-regul	ate the corresponding endogenous miRNAs. Our miRNA
	ä	antagomi	r is single-st	rand miRNA inhibitor carrying the chemically modifications
	f	functionir	ng by blocki	ng miRNA regulation of target gene expression efficiently.
Form	I	Lyophilize	d powder	
Gene Symbol	I	hsa-miR-1	L35a-5p	
Accession No.	. I	MIMAT00	00428	
Components	-	This synth	netic miRNA	is based on the mature miRNA sequence. The strand of the
	ä	antagomi	r has 2 phos	sphorothioates at the 5' end, 4 phosphorothioates, 1
	(	cholester	ol group at t	the 3' end, and full-length nucleotide 2'-methoxy modification.
		Stability o	of miRNA an	tagomir appears to be significantly higher than miRNA
	i	inhibitors	. It exhibit	s enhanced cellular uptake, stability and regulatory activity and
	i	is recomn	nended for i	miRNA functional studies in vitro and in vivo.
Directions for	Use	Briefly cei	ntrifuge tub	es containing miRNA antagomir to ensure that the miRNA
	I	pellet is lo	ocated at th	e bottom of the tube. Dissolve miRNA antagomir to a
	(	convenier	nt stock con	centration using the recommended volume of DEPC H2O (or
	I	RNase-fre	e water). Fo	or example: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com