

# **Product Data Sheet**

### hsa-miR-146a-5p miRNA Antagomir

Catalog #	Source	React	ivity Applications			
CIJ0122	Synthetic	c H				
Description	S	ynthetic miRI	NA Antagomir is used to inhibit the activity of target hsa-miR-146a-5p			
	r	nRNA.				
Specificity	А	Antagomir is chemically-modified single-strand miRNA inhibitor functioning by				
	b	locking miRN	A regulation of target gene expression efficiently. They are synthesized			
	to	o reduce the a	ability of endogenous miRNAs to silence target mRNA transcripts.			
	Т	hey can dowr	n-regulate the corresponding endogenous miRNAs. Our miRNA			
	а	ntagomir is si	ngle-strand miRNA inhibitor carrying the chemically modifications			
	fı	unctioning by	blocking miRNA regulation of target gene expression efficiently.			
Form	Ly	yophilized po	wder			
Gene Symbol	h	sa-miR-146a-	5p			
Accession No.	. N	/IMAT000044	19			
Components	Т	This synthetic miRNA is based on the mature miRNA sequence. The strand of the				
	а	ntagomir has	2 phosphorothioates at the 5' end, 4 phosphorothioates, 1			
	cl	holesterol gro	oup at the 3' end, and full-length nucleotide 2'-methoxy modification.			
	St	tability of mil	RNA antagomir appears to be significantly higher than miRNA			
	ir	nhibitors. It	exhibits enhanced cellular uptake, stability and regulatory activity and			
	is	s recommend	ed for miRNA functional studies in vitro and in vivo.			
Directions for	<b>Directions for Use</b> Briefly centrifuge tubes containing miRNA antagomir to ensure that the					
	р	ellet is locate	d at the bottom of the tube. Dissolve miRNA antagomir to a			
	C	onvenient sto	ock concentration using the recommended volume of DEPC H2O (or			
	R	Nase-free wa	ter). For example: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com