

Product Data Sheet

hsa-miR-190a-5p miRNA Antagomir

| Catalog # | Source | R | eactivity | Applications |
|-----------------------|---------|--------------|-------------------------|---|
| CIJ0131 | Synthet | tic H | I | |
| Description | | Synthetic | miRNA Anta | agomir is used to inhibit the activity of target hsa-miR-190a-5p |
| | I | mRNA. | | |
| Specificity | , | Antagomi | r is chemica | lly-modified single-strand miRNA inhibitor functioning by |
| | I | blocking r | niRNA regul | ation of target gene expression efficiently. They are synthesized |
| | t | to reduce | the ability o | of endogenous miRNAs to silence target mRNA transcripts. |
| | - | They can o | down-regula | ate the corresponding endogenous miRNAs. Our miRNA |
| | ä | antagomii | r is single-st | rand miRNA inhibitor carrying the chemically modifications |
| | f | functionir | ng by blockir | ng miRNA regulation of target gene expression efficiently. |
| Form | I | Lyophilize | d powder | |
| Gene Symbol | I | hsa-miR-1 | .90a-5p | |
| Accession No. | . I | MIMAT00 | 00458 | |
| Components | - | This synth | etic miRNA | is based on the mature miRNA sequence. The strand of the |
| | ä | antagomii | r has 2 phos | phorothioates at the 5' end, 4 phosphorothioates, 1 |
| | (| cholester | ol group at t | he 3' end, and full-length nucleotide 2'-methoxy modification. |
| | | Stability o | f miRNA an [.] | tagomir appears to be significantly higher than miRNA |
| | i | inhibitors | . It exhibit | s enhanced cellular uptake, stability and regulatory activity and |
| | i | is recomm | nended for r | niRNA functional studies in vitro and in vivo. |
| Directions for | Use | Briefly cer | ntrifuge tub | es containing miRNA antagomir to ensure that the miRNA |
| | I | pellet is lo | ocated at the | e bottom of the tube. Dissolve miRNA antagomir to a |
| | (| convenier | nt stock con | centration using the recommended volume of DEPC H2O (or |
| | I | RNase-fre | e water). Fo | or example: dissolve 10 nmol miRNA antagomir to 20 μM using |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

| WEB | ORDER | SUPPORT | CUSTOM |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com