

# **Product Data Sheet**

## hsa-miR-370-3p miRNA Antagomir

Catalog #	Source	Reac	tivity	Applications		
CIJ0165	Syntheti	ic H				
Description	S	Synthetic miRNA Antagomir is used to inhibit the activity of target hsa-miR-370-3p				
	r	mRNA.				
Specificity	A	Antagomir is o	chemically-modified	d single-strand miRNA inhibitor functioning by		
	k	blocking miRNA regulation of target gene expression efficiently. They are s		get gene expression efficiently. They are synthesized		
	t	to reduce the ability of endogenous miRNAs to silence target mRNA transcripts.				
	Т	They can dow	n-regulate the corr	esponding endogenous miRNAs. Our miRNA		
	а	antagomir is s	ingle-strand miRN/	A inhibitor carrying the chemically modifications		
	f	functioning b	/ blocking miRNA re	egulation of target gene expression efficiently.		
Form	L	yophilized po	owder			
Gene Symbol	ł	nsa-miR-370-3	Зр			
Accession No.	. N	MIMAT00007	22			
Components	Т	This synthetic	miRNA is based or	the mature miRNA sequence. The strand of the		
	а	antagomir ha	s 2 phosphorothioa	tes at the 5' end, 4 phosphorothioates, 1		
	C	cholesterol gr	oup at the 3' end, a	and full-length nucleotide 2'-methoxy modification.		
	S	Stability of mi	RNA antagomir app	pears to be significantly higher than miRNA		
	i	nhibitors. I	exhibits enhanced	cellular uptake, stability and regulatory activity and		
	i	s recomment	led for miRNA func	tional studies in vitro and in vivo.		
<b>Directions for</b>	<b>Use</b> E	Briefly centrif	uge tubes containir	ng miRNA antagomir to ensure that the miRNA		
	p	pellet is locate	ed at the bottom of	the tube. Dissolve miRNA antagomir to a		
	C	convenient st	ock concentration u	using the recommended volume of DEPC H2O (or		
	F	RNase-free w	ater). For example:	dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com