

Product Data Sheet

hsa-miR-519e-3p miRNA Antagomir

Catalog #	Source	Reactivity	Applications
CIJ0260	Synthetic	с Н	
Description	Sy	ynthetic miRNA An	tagomir is used to inhibit the activity of target hsa-miR-519e-3p
	m	nRNA.	
Specificity	А	ntagomir is chemic	ally-modified single-strand miRNA inhibitor functioning by
	b	locking miRNA regu	ulation of target gene expression efficiently. They are synthesized
	to	o reduce the ability	of endogenous miRNAs to silence target mRNA transcripts.
	TI	hey can down-regu	late the corresponding endogenous miRNAs. Our miRNA
	aı	ntagomir is single-s	trand miRNA inhibitor carrying the chemically modifications
	fu	unctioning by block	ing miRNA regulation of target gene expression efficiently.
Form	Ly	yophilized powder	
Gene Symbol	h	sa-miR-519e-3p	
Accession No.	N	/IIMAT0002829	
Components	TI	his synthetic miRNA	A is based on the mature miRNA sequence. The strand of the
	aı	ntagomir has 2 pho	sphorothioates at the 5' end, 4 phosphorothioates, 1
	cł	holesterol group at	the 3' end, and full-length nucleotide 2'-methoxy modification.

Stability of miRNA antagomir appears to be significantly higher than miRNA

inhibitors. It exhibits enhanced cellular uptake, stability and regulatory activity and

is recommended for miRNA functional studies in vitro and in vivo.

Directions for Use Briefly centrifuge tubes containing miRNA antagomir to ensure that the miRNA

pellet is located at the bottom of the tube. Dissolve miRNA antagomir to a

convenient stock concentration using the recommended volume of DEPC H2O (or

RNase-free water). For example: dissolve 10 nmol miRNA antagomir to 20 μM using

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com

CUSTOM





Product Data Sheet

500 µl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED