

# **Product Data Sheet**

### hsa-miR-518a-3p miRNA Antagomir

| Catalog #      | Source                         | Reac  | tivity                 | Applications  |   |  |
|----------------|--------------------------------|---|------------------------|---|---|--|
| CIJ0294        | Syntheti                       | с Н   |                        |   |   |  |
| Description    | S                              | Synthetic miRNA Antagomir is used to inhibit the activity of target hsa-miR-518a-3p   |                        |   |   |  |
|                | n                              | nRNA.   |                        |   |   |  |
| Specificity    | A                              | Antagomir is chemically-modified single-strand miRNA inhibitor functioning by         |                        |   |   |  |
|                | b                              | blocking miRNA regulation of target gene expression efficiently. They are synthesized |                        |   |   |  |
|                | te                             | o reduce the  | ability of endogenou   | us miRNAs to silence target mRNA transcripts.               |   |  |
|                | Т                              | They can down-regulate the corresponding endogenous miRNAs. Our miRNA                 |                        |   |   |  |
|                | а                              | antagomir is single-strand miRNA inhibitor carrying the chemically modified           |                        |   |   |  |
|                | fu                             | unctioning b  | y blocking miRNA reg   | ulation of target gene expression efficiently.              |   |  |
| Form           | Ľ                              | yophilized po   | owder                  |   |   |  |
| Gene Symbol    | h                              | nsa-miR-518a  | -3p                    |   |   |  |
| Accession No.  | . N                            | MIMAT00028  | 63                     |   |   |  |
| Components     |                                | This synthetic miRNA is based on the mature miRNA sequence. The strand of the         |                        |   |   |  |
|                | а                              | intagomir ha  | s 2 phosphorothioate   | phosphorothioates at the 5' end, 4 phosphorothioates, 1     |   |  |
|                | С                              | cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.  |                        |   |   |  |
|                | S                              | stability of m  | iRNA antagomir appe    | intagomir appears to be significantly higher than miRNA     |   |  |
|                | ir                             | nhibitors. I  | t exhibits enhanced c  | ellular uptake, stability and regulatory activity and       | d |  |
|                | is                             | s recommend   | ded for miRNA function | onal studies in vitro and in vivo.                          |   |  |
| Directions for | tions for Use Briefly centrifu |   | uge tubes containing   | e tubes containing miRNA antagomir to ensure that the miRNA |   |  |
|                | р                              | ellet is locat  | ed at the bottom of t  | he tube. Dissolve miRNA antagomir to a                      |   |  |
|                | C                              | convenient st   | ock concentration us   | ing the recommended volume of DEPC H2O (or                  |   |  |
|                | R                              | RNase-free w  | ater). For example: d  | issolve 10 nmol miRNA antagomir to 20 $\mu M$ using         |   |  |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

| WEB                 | ORDER                 | SUPPORT                     | CUSTOM                 |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com