

# **Product Data Sheet**

## hsa-miR-585-3p miRNA Antagomir

Catalog #	Source	Reactivity	Applications		
CIJ0357	Synthetic	Н			
Description	Syr	thetic miRNA Ar	ntagomir is used to inhibit the activity of target hsa-miR-585-3p		
	mF	NA.			
Specificity	An	tagomir is chemi	cally-modified single-strand miRNA inhibitor functioning by		
	blo	cking miRNA reg	gulation of target gene expression efficiently. They are synthesized		
	to	reduce the abilit	y of endogenous miRNAs to silence target mRNA transcripts.		
	The	ey can down-reg	ulate the corresponding endogenous miRNAs. Our miRNA		
	ant	antagomir is single-strand miRNA inhibitor carrying the chemically modifications			
	fur	ctioning by bloc	king miRNA regulation of target gene expression efficiently.		
Form	Lyc	philized powder			
Gene Symbol	hsa	ı-miR-585-3p			
Accession No.	. MI	MAT0003250			
Components	Thi	s synthetic miRN	IA is based on the mature miRNA sequence. The strand of the		
	ant	agomir has 2 ph	osphorothioates at the 5' end, 4 phosphorothioates, 1		
	cho	cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.			
	Sta	bility of miRNA a	antagomir appears to be significantly higher than miRNA		
	inh	ibitors. It exhil	pits enhanced cellular uptake, stability and regulatory activity and		
	is r	ecommended fo	r miRNA functional studies in vitro and in vivo.		
Directions for	<b>Use</b> Bri	efly centrifuge tu	ubes containing miRNA antagomir to ensure that the miRNA		
	pe	let is located at t	the bottom of the tube. Dissolve miRNA antagomir to a		
	COI	ivenient stock co	oncentration using the recommended volume of DEPC H2O (or		
	RN	ase-free water).	For example: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com