

Product Data Sheet

hsa-miR-601 miRNA Antagomir

Catalog #	Source	Reactivi	ty Applications		
CIJ0375	Synthetic	c H			
Description	S	ynthetic miRNA	Antagomir is used to inhibit the activity of target hsa-miR-601		
	r	nRNA.			
Specificity	А	ntagomir is che	mically-modified single-strand miRNA inhibitor functioning by		
	b	locking miRNA r	egulation of target gene expression efficiently. They are synthesized		
	to	o reduce the abi	lity of endogenous miRNAs to silence target mRNA transcripts.		
	Т	hey can down-r	egulate the corresponding endogenous miRNAs. Our miRNA		
	а	ntagomir is sing	le-strand miRNA inhibitor carrying the chemically modifications		
	fı	unctioning by bl	ocking miRNA regulation of target gene expression efficiently.		
Form	Ly	yophilized powd	er		
Gene Symbol	h	sa-miR-601			
Accession No.	. N	/IMAT0003269			
Components	Т	his synthetic mi	RNA is based on the mature miRNA sequence. The strand of the		
	а	ntagomir has 2	phosphorothioates at the 5' end, 4 phosphorothioates, 1		
		cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.			
		Stability of miRNA antagomir appears to be significantly higher than miRNA			
	ir	nhibitors. It ex	hibits enhanced cellular uptake, stability and regulatory activity and		
	is	s recommended	for miRNA functional studies in vitro and in vivo.		
Directions for Use		Briefly centrifuge tubes containing miRNA antagomir to ensure that the miRNA			
	р	ellet is located a	t the bottom of the tube. Dissolve miRNA antagomir to a		
	C	onvenient stock	concentration using the recommended volume of DEPC H2O (or		
	R	Nase-free water). For example: dissolve 10 nmol miRNA antagomir to 20 μM using		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com