

Product Data Sheet

hsa-miR-648 miRNA Antagomir

Catalog #	Source	Reactivity	Applications		
CIJ0424	Synthetic	c H			
Description	Sy	Synthetic miRNA Antagomir is used to inhibit the activity of target hsa-miR-648			
	r	nRNA.			
Specificity	А	ntagomir is chem	ically-modified single-strand miRNA inhibitor functioning by		
	b	locking miRNA re	gulation of target gene expression efficiently. They are synthesized		
	to	o reduce the abilit	ty of endogenous miRNAs to silence target mRNA transcripts.		
	TI	hey can down-reg	gulate the corresponding endogenous miRNAs. Our miRNA		
		ntagomir is single	-strand miRNA inhibitor carrying the chemically modifications		
	fu	unctioning by bloc	king miRNA regulation of target gene expression efficiently.		
Form	Ly	yophilized powde	r		
Gene Symbol	h	sa-miR-648			
Accession No.	. N	1IMAT0003318			
Components	T	his synthetic miRI	NA is based on the mature miRNA sequence. The strand of the		
	a	antagomir has 2 phosphorothioates at the 5' end, 4 phosphorothioates, 1			
		holesterol group a	at the 3' end, and full-length nucleotide 2'-methoxy modification.		
	St	tability of miRNA	antagomir appears to be significantly higher than miRNA		
	in	hibitors. It exhi	bits enhanced cellular uptake, stability and regulatory activity and		
	is	recommended for	or miRNA functional studies in vitro and in vivo.		
Directions for Use		riefly centrifuge t	ubes containing miRNA antagomir to ensure that the miRNA		
	p	ellet is located at	the bottom of the tube. Dissolve miRNA antagomir to a		
	CC	onvenient stock c	oncentration using the recommended volume of DEPC H2O (or		
	R	Nase-free water).	For example: dissolve 10 nmol miRNA antagomir to 20 μM using		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com