

# **Product Data Sheet**

## hsa-let-7f-1-3p miRNA Antagomir

Catalog #	Source	Reactivity	Applications			
CIJ0469	Synthetic	Н				
Description	Syn	thetic miRNA An	tagomir is used to inhibit the activity of target hsa-let-7f-1-3p			
	mR	NA.				
Specificity	Ant	agomir is chemic	ally-modified single-strand miRNA inhibitor functioning by			
	blo	cking miRNA reg	ulation of target gene expression efficiently. They are synthesized			
	to r	educe the ability	of endogenous miRNAs to silence target mRNA transcripts.			
	The	y can down-regu	late the corresponding endogenous miRNAs. Our miRNA			
	ant	agomir is single-s	strand miRNA inhibitor carrying the chemically modifications			
	fun	ctioning by block	ing miRNA regulation of target gene expression efficiently.			
Form	Lyo	philized powder				
Gene Symbol	hsa	-let-7f-1-3p				
Accession No.	MIN	MIMAT0004486				
Components	This	synthetic miRN	A is based on the mature miRNA sequence. The strand of the			
	ant	antagomir has 2 phosphorothioates at the 5' end, 4 phosphorothioates, 1				
	cho	cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.				
	Stal	Stability of miRNA antagomir appears to be significantly higher than miRNA				
	inhi	bitors. It exhib	its enhanced cellular uptake, stability and regulatory activity and			
	is re	ecommended for	miRNA functional studies in vitro and in vivo.			
Directions for	Use Brie	efly centrifuge tu	bes containing miRNA antagomir to ensure that the miRNA			
	pell	et is located at tl	ne bottom of the tube. Dissolve miRNA antagomir to a			
	con	venient stock co	ncentration using the recommended volume of DEPC H2O (or			
	RNa	ase-free water). F	for example: dissolve 10 nmol miRNA antagomir to 20 $\mu$ M using			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com