

# **Product Data Sheet**

## hsa-miR-22-5p miRNA Antagomir

Catalog #	Source	Reactivit	y Applications
CIJ0478	Synthetic	c H	
Description	S	ynthetic miRNA	Antagomir is used to inhibit the activity of target hsa-miR-22-5p
	r	nRNA.	
Specificity	А	ntagomir is cher	nically-modified single-strand miRNA inhibitor functioning by
	b	locking miRNA r	egulation of target gene expression efficiently. They are synthesized
	to	o reduce the abil	ity of endogenous miRNAs to silence target mRNA transcripts.
	Т	hey can down-re	gulate the corresponding endogenous miRNAs. Our miRNA
	а	ntagomir is singl	e-strand miRNA inhibitor carrying the chemically modifications
	fı	unctioning by blo	ocking miRNA regulation of target gene expression efficiently.
Form	Ly	yophilized powd	er
Gene Symbol	h	sa-miR-22-5p	
Accession No.	. N	/IMAT0004495	
Components	Т	his synthetic mif	RNA is based on the mature miRNA sequence. The strand of the
	а	ntagomir has 2 p	hosphorothioates at the 5' end, 4 phosphorothioates, 1
		holesterol group	at the 3' end, and full-length nucleotide 2'-methoxy modification.
	St	tability of miRNA	A antagomir appears to be significantly higher than miRNA
	ir	nhibitors. It exh	nibits enhanced cellular uptake, stability and regulatory activity and
	is	recommended	for miRNA functional studies in vitro and in vivo.
<b>Directions for Use</b> Briefly centrifuge		riefly centrifuge	tubes containing miRNA antagomir to ensure that the miRNA
	р	ellet is located a	t the bottom of the tube. Dissolve miRNA antagomir to a
	C	onvenient stock	concentration using the recommended volume of DEPC H2O (or
	R	Nase-free water	). For example: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com