

Product Data Sheet

hsa-miR-148a-5p miRNA Antagomir

Catalog #	Source		Reactivity	Applications
CIJ0504	Synthe	tic	Н	
Description		Synthet	ic miRNA Ant	tagomir is used to inhibit the activity of target hsa-miR-148a-5p
		mRNA.		
Specificity		Antagor	mir is chemic	ally-modified single-strand miRNA inhibitor functioning by
		blocking	g miRNA regu	ulation of target gene expression efficiently. They are synthesized
		to reduc	ce the ability	of endogenous miRNAs to silence target mRNA transcripts.
		They ca	n down-regu	late the corresponding endogenous miRNAs. Our miRNA
		antagor	nir is single-s	trand miRNA inhibitor carrying the chemically modifications
		function	ning by block	ing miRNA regulation of target gene expression efficiently.
Form		Lyophili	zed powder	
Gene Symbol		hsa-miR	-148a-5p	
Accession No.		MIMATO	0004549	
Components		This syn	thetic miRNA	A is based on the mature miRNA sequence. The strand of the
		antagor	nir has 2 pho	sphorothioates at the 5' end, 4 phosphorothioates, 1
		choleste	erol group at	the 3' end, and full-length nucleotide 2'-methoxy modification.
		Stability	of miRNA ar	ntagomir appears to be significantly higher than miRNA
		inhibito	rs. It exhibi	its enhanced cellular uptake, stability and regulatory activity and
		is recon	nmended for	miRNA functional studies in vitro and in vivo.
Directions for	Directions for Use Briefly centrifuge tubes containing miRNA antagomir to ensu		bes containing miRNA antagomir to ensure that the miRNA	
		pellet is	located at th	ne bottom of the tube. Dissolve miRNA antagomir to a
		conveni	ent stock cor	ncentration using the recommended volume of DEPC H2O (or

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

RNase-free water). For example: dissolve 10 nmol miRNA antagomir to 20 µM using





Product Data Sheet

500 µl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED