

# **Product Data Sheet**

### hsa-miR-193a-5p miRNA Antagomir

Catalog #	Source	Read	tivity	Applications	
CIJ0557	Syntheti	ic H			
Description	S	Synthetic miRNA Antagomir is used to inhibit the activity of target hsa-miR-193a-5p			
	r	mRNA.			
Specificity	Ļ	Antagomir is	chemically-modified	single-strand miRNA inhibitor functioning by	
	k	blocking miRI	NA regulation of tar	get gene expression efficiently. They are synthesized	
	t	to reduce the	ability of endogen	ous miRNAs to silence target mRNA transcripts.	
	Т	They can dow	n-regulate the corr	esponding endogenous miRNAs. Our miRNA	
	ĉ	antagomir is s	single-strand miRN/	inhibitor carrying the chemically modifications	
	f	functioning b	y blocking miRNA re	egulation of target gene expression efficiently.	
Form	L	Lyophilized p	owder		
Gene Symbol	ł	hsa-miR-193a	а-5р		
Accession No.	. 1	MIMAT00046	14		
Components	Т	This synthetic miRNA is based on the mature miRNA sequence. The strand of the			
	а	antagomir has 2 phosphorothioates at the 5' end, 4 phosphorothioates, 1		tes at the 5' end, 4 phosphorothioates, 1	
	C	cholesterol gr	oup at the 3' end, a	nd full-length nucleotide 2'-methoxy modification.	
	5	Stability of m	iRNA antagomir apı	pears to be significantly higher than miRNA	
	i	inhibitors. I	t exhibits enhanced	cellular uptake, stability and regulatory activity and	
	i	is recommen	ded for miRNA func	tional studies in vitro and in vivo.	
<b>Directions for</b>	<b>Use</b> E	Briefly centrif	uge tubes containir	ng miRNA antagomir to ensure that the miRNA	
	p	pellet is locat	ed at the bottom of	the tube. Dissolve miRNA antagomir to a	
	C	convenient st	ock concentration u	ising the recommended volume of DEPC H2O (or	
	F	RNase-free w	ater). For example:	dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com