

# **Product Data Sheet**

### hsa-miR-516a-5p miRNA Antagomir

Catalog #	Source	Read	tivity	Applications	
CIJ0605	Syntheti	ic H			
Description	S	Synthetic miRNA Antagomir is used to inhibit the activity of target hsa-miR-516a-5p			
	r	mRNA.			
Specificity	Þ	Antagomir is chemically-modified single-strand miRNA inhibitor functioning by			
	k	blocking miRNA regulation of target gene expression effici		t gene expression efficiently. They are synthesized	
	t	to reduce the	ability of endogenou	s miRNAs to silence target mRNA transcripts.	
	Т	They can dow	n-regulate the corres	ponding endogenous miRNAs. Our miRNA	
	ĉ	antagomir is s	single-strand miRNA i	nhibitor carrying the chemically modifications	
	f	functioning b	y blocking miRNA reg	ulation of target gene expression efficiently.	
Form	L	Lyophilized p	owder		
Gene Symbol	ł	nsa-miR-516a	-5p		
Accession No.	. 1	MIMAT00047	70		
Components	Т	This synthetic miRNA is based on the mature miRNA sequence. The strand of the			
	а	antagomir has 2 phosphorothioates at the 5' end, 4 phosphorothioates, 1		s at the 5' end, 4 phosphorothioates, 1	
	C	cholesterol gr	oup at the 3' end, an	d full-length nucleotide 2'-methoxy modification.	
	5	Stability of m	iRNA antagomir appe	ars to be significantly higher than miRNA	
	i	nhibitors. I	t exhibits enhanced c	ellular uptake, stability and regulatory activity and	
	i	s recommen	ded for miRNA function	onal studies in vitro and in vivo.	
<b>Directions for</b>	Use E	Briefly centrif	uge tubes containing	miRNA antagomir to ensure that the miRNA	
	p	pellet is locat	ed at the bottom of t	ne tube. Dissolve miRNA antagomir to a	
	C	convenient st	ock concentration us	ng the recommended volume of DEPC H2O (or	
	F	RNase-free w	ater). For example: di	ssolve 10 nmol miRNA antagomir to 20 $\mu M$ using	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com