

Product Data Sheet

hsa-miR-147b miRNA Antagomir

Catalog #	Source	Reactivity	Applications		
CIJ0662	Synthetic	Н			
Description	Synt	hetic miRNA Antag	comir is used to inhibit the activity of target hsa-miR-147b		
	mRN	IA.			
Specificity	Anta	Antagomir is chemically-modified single-strand miRNA inhibitor functioning by			
	bloc	blocking miRNA regulation of target gene expression efficiently. They are synthesized			
	to re	to reduce the ability of endogenous miRNAs to silence target mRNA transcripts.			
	The	They can down-regulate the corresponding endogenous miRNAs. Our miRNA			
	anta	antagomir is single-strand miRNA inhibitor carrying the chemically modificatio			
	func	tioning by blocking	g miRNA regulation of target gene expression efficiently.		
Form	Lyop	hilized powder			
Gene Symbol	hsa-	miR-147b			
Accession No.	. MIN	1AT0004928			
Components	This	This synthetic miRNA is based on the mature miRNA sequence. The strand of the			
	anta	igomir has 2 phosp	horothioates at the 5' end, 4 phosphorothioates, 1		
	chol	cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.			
	Stab	Stability of miRNA antagomir appears to be significantly higher than miRNA			
	inhi	bitors. It exhibits	enhanced cellular uptake, stability and regulatory activity and		
	is re	commended for m	iRNA functional studies in vitro and in vivo.		
Directions for	Use Brie	fly centrifuge tube	s containing miRNA antagomir to ensure that the miRNA		
	pello	et is located at the	bottom of the tube. Dissolve miRNA antagomir to a		
	conv	venient stock conce	entration using the recommended volume of DEPC H2O (or		
	RNa	se-free water). For	example: dissolve 10 nmol miRNA antagomir to 20 μM using		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com