

Product Data Sheet

hsa-miR-1914-3p miRNA Antagomir

Catalog #	Source	Rea	ctivity	Applications
CIJ0848	Syntheti	c H		
Description	S	Synthetic mi	RNA Antagom	ir is used to inhibit the activity of target hsa-miR-1914-3p
	n	nRNA.		
Specificity	A	Antagomir is	chemically-m	odified single-strand miRNA inhibitor functioning by
	b	locking miR	NA regulation	of target gene expression efficiently. They are synthesized
	to	o reduce the	e ability of end	logenous miRNAs to silence target mRNA transcripts.
	Т	hey can do	wn-regulate th	e corresponding endogenous miRNAs. Our miRNA
	а	intagomir is	single-strand	miRNA inhibitor carrying the chemically modifications
	fu	unctioning t	by blocking mi	RNA regulation of target gene expression efficiently.
Form	Ŀ	yophilized p	owder	
Gene Symbol	h	nsa-miR-191	4-3p	
Accession No.	. N	MIMAT00078	890	
Components	Т	his syntheti	c miRNA is ba	sed on the mature miRNA sequence. The strand of the
	а	intagomir ha	as 2 phosphor	othioates at the 5' end, 4 phosphorothioates, 1
	C	holesterol g	roup at the 3'	end, and full-length nucleotide 2'-methoxy modification.
	S	stability of m	niRNA antagor	nir appears to be significantly higher than miRNA
	ir	nhibitors.	It exhibits enh	anced cellular uptake, stability and regulatory activity and
	is	s recommen	ded for miRN	A functional studies in vitro and in vivo.
Directions for	Use B	Briefly centri	ifuge tubes co	ntaining miRNA antagomir to ensure that the miRNA
	р	ellet is loca	ted at the bot	com of the tube. Dissolve miRNA antagomir to a
	C	onvenient s	tock concentr	ation using the recommended volume of DEPC H2O (or
	R	Nase-free v	vater). For exa	mple: dissolve 10 nmol miRNA antagomir to 20 μM using

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com