

## **Product Data Sheet**

## hsa-miR-3613-5p miRNA Antagomir

Catalog #	Source	R	eactivity	Applications	
CIJ1100	Syntheti	ic H			
Description	9	Synthetic r	miRNA Antagomir is used	to inhibit the activity of target hsa-mil	R-3613-5p
	r	mRNA.			
Specificity	A	Antagomir	is chemically-modified	single-strand miRNA inhibitor functioni	ng by
	k	blocking m	iRNA regulation of targe	et gene expression efficiently. They are	synthesized
	t	to reduce t	the ability of endogenou	s miRNAs to silence target mRNA trans	cripts.
	7	They can d	own-regulate the corres	ponding endogenous miRNAs. Our miR	RNA
	â	antagomir	is single-strand miRNA i	nhibitor carrying the chemically modifi	cations
	f	functionin	g by blocking miRNA reg	ulation of target gene expression efficie	ently.
Form	L	Lyophilized	d powder		
Gene Symbol	ŀ	hsa-miR-30	613-5p		
Accession No.		MIMAT001	17990		
Components	٦	This synthe	etic miRNA is based on t	ne mature miRNA sequence. The strand	d of the
	â	antagomir	has 2 phosphorothioate	s at the 5' end, 4 phosphorothioates, 1	
	C	cholestero	l group at the 3' end, an	d full-length nucleotide 2'-methoxy mo	dification.
	9	Stability of	miRNA antagomir appe	ars to be significantly higher than miRN	IA
	i	inhibitors.	It exhibits enhanced c	ellular uptake, stability and regulatory a	activity and
	i	is recommended for miRNA functional studies in vitro and in vivo.			
Directions for	Directions for Use Briefly centrifuge tubes containing miRNA antagomir to ensure that the		miRNA antagomir to ensure that the m	niRNA	
		ءاء: ₄ءاء		a a turb a Diagalua waiDNA a mta mawiy ta a	_

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

pellet is located at the bottom of the tube. Dissolve miRNA antagomir to a

convenient stock concentration using the recommended volume of DEPC H2O (or

RNase-free water). For example: dissolve 10 nmol miRNA antagomir to 20 µM using

## **COHESION BIOSCIENCES LIMITED**





## **Product Data Sheet**

500 µl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

**COHESION BIOSCIENCES LIMITED**