

Product Data Sheet

hsa-miR-378h miRNA Antagomir

Catalog #	Source	Reactivity	Applications		
CIJ1276	Synthetic	Н			
Description	Synth	Synthetic miRNA Antagomir is used to inhibit the activity of target hsa-miR-378h			
	mRN	Α.			
Specificity	Anta	Antagomir is chemically-modified single-strand miRNA inhibitor functioning by			
	block	locking miRNA regulation of target gene expression efficiently. They are synthesized			
	to re	to reduce the ability of endogenous miRNAs to silence target mRNA transcripts.			
	They	They can down-regulate the corresponding endogenous miRNAs. Our miRNA			
	anta	gomir is single-strand r	niRNA inhibitor carrying the chemically modifications		
	funct	ioning by blocking mil	NA regulation of target gene expression efficiently.		
Form	Lyop	nilized powder			
Gene Symbol	hsa-r	niR-378h			
Accession No.	MIM	AT0018984			
Components	This	This synthetic miRNA is based on the mature miRNA sequence. The strand of the			
	antag	gomir has 2 phosphore	thioates at the 5' end, 4 phosphorothioates, 1		
	chole	esterol group at the 3'	end, and full-length nucleotide 2'-methoxy modification.		
	Stabi	lity of miRNA antagom	ir appears to be significantly higher than miRNA		
	inhib	itors. It exhibits enh	anced cellular uptake, stability and regulatory activity and		
	is rec	commended for miRNA	functional studies in vitro and in vivo.		
Directions for Use Briefly centrifuge tubes conta		ly centrifuge tubes cor	taining miRNA antagomir to ensure that the miRNA		
	pelle	t is located at the bott	om of the tube. Dissolve miRNA antagomir to a		
	conv	enient stock concentra	tion using the recommended volume of DEPC H2O (or		
	RNas	e-free water). For exai	nple: dissolve 10 nmol miRNA antagomir to 20 μM using		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com