

# **Product Data Sheet**

### hsa-miR-4725-5p miRNA Antagomir

Catalog #	Source	Re	activity	Applications
CIJ1576	Syntheti	ic H		
Description	S	Synthetic m	niRNA Antag	omir is used to inhibit the activity of target hsa-miR-4725-5p
	r	mRNA.		
Specificity	Þ	Antagomir i	is chemicall	y-modified single-strand miRNA inhibitor functioning by
	k	blocking mi	RNA regula	tion of target gene expression efficiently. They are synthesized
	t	to reduce tl	he ability of	endogenous miRNAs to silence target mRNA transcripts.
	Т	They can do	own-regulat	e the corresponding endogenous miRNAs. Our miRNA
	ĉ	antagomir i	s single-stra	nd miRNA inhibitor carrying the chemically modifications
	f	functioning	by blocking	miRNA regulation of target gene expression efficiently.
Form	L	Lyophilized	powder	
Gene Symbol	ł	hsa-miR-47	25-5p	
Accession No.	. 1	MIMAT0019	9843	
Components	Т	This synthe <sup>-</sup>	tic miRNA is	based on the mature miRNA sequence. The strand of the
	а	antagomir ł	nas 2 phosp	horothioates at the 5' end, 4 phosphorothioates, 1
	C	cholesterol	group at th	e 3' end, and full-length nucleotide 2'-methoxy modification.
	5	Stability of	miRNA anta	gomir appears to be significantly higher than miRNA
	i	inhibitors.	It exhibits	enhanced cellular uptake, stability and regulatory activity and
	i	is recomme	ended for mi	iRNA functional studies in vitro and in vivo.
Directions for	Use E	Briefly cent	rifuge tubes	s containing miRNA antagomir to ensure that the miRNA
	p	pellet is loc	ated at the	bottom of the tube. Dissolve miRNA antagomir to a
	C	convenient	stock conce	entration using the recommended volume of DEPC H2O (or
	F	RNase-free	water). For	example: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com