

## **Product Data Sheet**

## hsa-miR-4725-3p miRNA Antagomir

Catalog #	Source	Reactivity	Applications	
CIJ1577	Synthetic	Н		
<b>Description</b> Sy		Synthetic miRNA Antagomir is used to inhibit the activity of target hsa-miR-4725-3p		
	mRN	۹.		
Specificity	Antag	Antagomir is chemically-modified single-strand miRNA inhibitor functioning by		
	block	blocking miRNA regulation of target gene expression efficiently. They are synthesized		
t		to reduce the ability of endogenous miRNAs to silence target mRNA transcripts.		
	They	can down-regulate	the corresponding endogenous miRNAs. Our miRNA	
	antag	omir is single-strar	nd miRNA inhibitor carrying the chemically modifications	
	funct	ioning by blocking	miRNA regulation of target gene expression efficiently.	
Form L		Lyophilized powder		
Gene Symbol	hsa-n	hsa-miR-4725-3p		
Accession No.	MIM	AT0019844		
Components	This s	This synthetic miRNA is based on the mature miRNA sequence. The strand of the		
	antag	antagomir has 2 phosphorothioates at the 5' end, 4 phosphorothioates, 1		
	chole	sterol group at the	3' end, and full-length nucleotide 2'-methoxy modification.	
	Stabi	Stability of miRNA antagomir appears to be significantly higher than miRNA		
	inhib	itors. It exhibits e	nhanced cellular uptake, stability and regulatory activity and	
is re		s recommended for miRNA functional studies in vitro and in vivo.		
Directions for	Use Briefl	Briefly centrifuge tubes containing miRNA antagomir to ensure that the miRNA		

Directions for Use Briefly centrifuge tubes containing miRNA antagomir to ensure that the miRNA

pellet is located at the bottom of the tube. Dissolve miRNA antagomir to a

convenient stock concentration using the recommended volume of DEPC H2O (or

RNase-free water). For example: dissolve 10 nmol miRNA antagomir to 20 µM using

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference

Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-

Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

WEB ORDER SUPPORT CUSTOM
www.cohesionbio.com order@cohesionbio.com techsupport@cohesionbio.com custom@cohesionbio.com





## **Product Data Sheet**

500 µl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

**COHESION BIOSCIENCES LIMITED**