

Product Data Sheet

hsa-miR-4758-3p miRNA Antagomir

| Catalog # | Source | Read | ctivity | Applications |
|----------------|--------------|----------------|-------------------|--|
| CIJ1637 | Syntheti | c H | | |
| Description | S | Synthetic mil | RNA Antagomir i | s used to inhibit the activity of target hsa-miR-4758-3p |
| | n | nRNA. | | |
| Specificity | A | Antagomir is | chemically-mod | ified single-strand miRNA inhibitor functioning by |
| | b | locking miR | NA regulation o | target gene expression efficiently. They are synthesized |
| | to | o reduce the | e ability of endo | genous miRNAs to silence target mRNA transcripts. |
| | Т | hey can dov | vn-regulate the | corresponding endogenous miRNAs. Our miRNA |
| | а | intagomir is | single-strand mi | RNA inhibitor carrying the chemically modifications |
| | fu | unctioning b | y blocking miRN | A regulation of target gene expression efficiently. |
| Form | Ŀ | yophilized p | owder | |
| Gene Symbol | h | nsa-miR-4758 | 3-3p | |
| Accession No. | . N | MIMAT00199 | 904 | |
| Components | Т | his synthetio | c miRNA is base | d on the mature miRNA sequence. The strand of the |
| | а | intagomir ha | s 2 phosphorotl | nioates at the 5' end, 4 phosphorothioates, 1 |
| | C | holesterol g | roup at the 3' er | nd, and full-length nucleotide 2'-methoxy modification. |
| | S | stability of m | iRNA antagomir | appears to be significantly higher than miRNA |
| | ir | nhibitors. I | t exhibits enhar | ced cellular uptake, stability and regulatory activity and |
| | is | s recommen | ded for miRNA f | unctional studies in vitro and in vivo. |
| Directions for | Use B | Briefly centri | fuge tubes conta | aining miRNA antagomir to ensure that the miRNA |
| | р | ellet is locat | ed at the bottor | n of the tube. Dissolve miRNA antagomir to a |
| | C | convenient st | ock concentrati | on using the recommended volume of DEPC H2O (or |
| | R | Nase-free w | ater). For exam | ple: dissolve 10 nmol miRNA antagomir to 20 μM using |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

| WEB | ORDER | SUPPORT | CUSTOM |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com