

Product Data Sheet

hsa-miR-4768-5p miRNA Antagomir

Catalog #	Source	Read	ctivity	Applications	
CIJ1653	Syntheti	c H			
Description	S	Synthetic miRNA Antagomir is used to inhibit the activity of target hsa-miR-4768-5p			
	n	nRNA.			
Specificity	A	Antagomir is	chemically-modifi	ed single-strand miRNA inhibitor functioning by	
	b	locking miR	NA regulation of ta	arget gene expression efficiently. They are synthesized	
	to	o reduce the	e ability of endoge	nous miRNAs to silence target mRNA transcripts.	
	Т	hey can dov	vn-regulate the co	rresponding endogenous miRNAs. Our miRNA	
	а	intagomir is	single-strand miRI	IA inhibitor carrying the chemically modifications	
	fu	unctioning b	y blocking miRNA	regulation of target gene expression efficiently.	
Form	Ŀ	yophilized p	owder		
Gene Symbol	h	nsa-miR-4768	3-5p		
Accession No.	. N	MIMAT00199	920		
Components	Т	his syntheti	c miRNA is based o	on the mature miRNA sequence. The strand of the	
	а	antagomir has 2 phosphorothioates at the 5' end, 4 phosphorothioates, 1		ates at the 5' end, 4 phosphorothioates, 1	
	C	holesterol g	roup at the 3' end,	and full-length nucleotide 2'-methoxy modification.	
	S	stability of m	iRNA antagomir a	opears to be significantly higher than miRNA	
	ir	nhibitors. I	t exhibits enhance	ed cellular uptake, stability and regulatory activity and	
	is	s recommen	ded for miRNA fur	ctional studies in vitro and in vivo.	
Directions for	Use B	Briefly centri	fuge tubes contair	ing miRNA antagomir to ensure that the miRNA	
	р	ellet is locat	ed at the bottom	of the tube. Dissolve miRNA antagomir to a	
	C	convenient st	cock concentratior	using the recommended volume of DEPC H2O (or	
	R	RNase-free w	ater). For example	: dissolve 10 nmol miRNA antagomir to 20 μ M using	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com