

Product Data Sheet

hsa-miR-4778-5p miRNA Antagomir

Catalog #	Source	Read	ctivity	Applications		
CIJ1669	Syntheti	с Н				
Description	S	Synthetic miRNA Antagomir is used to inhibit the activity of target hsa-miR-4778-5p				
	n	nRNA.				
Specificity	A	Antagomir is chemically-modified single-strand miRNA inhib		fied single-strand miRNA inhibitor functioning by		
	b	locking miR	NA regulation of	target gene expression efficiently. They are synthesized		
	to	o reduce the	e ability of endo	enous miRNAs to silence target mRNA transcripts.		
	Т	hey can dov	vn-regulate the o	corresponding endogenous miRNAs. Our miRNA		
	а	intagomir is	single-strand mi	RNA inhibitor carrying the chemically modifications		
	fu	unctioning b	y blocking miRN	A regulation of target gene expression efficiently.		
Form	Ŀ	yophilized p	owder			
Gene Symbol	h	nsa-miR-4778	3-5p			
Accession No.	. N	MIMAT00199	936			
Components	Т	his synthetio	c miRNA is based	on the mature miRNA sequence. The strand of the		
	а	intagomir ha	s 2 phosphoroth	ioates at the 5' end, 4 phosphorothioates, 1		
	C	holesterol g	roup at the 3' er	d, and full-length nucleotide 2'-methoxy modification.		
	S	stability of m	iRNA antagomir	appears to be significantly higher than miRNA		
	ir	nhibitors. I	t exhibits enhan	ced cellular uptake, stability and regulatory activity and		
	is	s recommen	ded for miRNA f	unctional studies in vitro and in vivo.		
Directions for	Use B	Briefly centri	fuge tubes conta	ining miRNA antagomir to ensure that the miRNA		
	р	ellet is locat	ed at the bottor	n of the tube. Dissolve miRNA antagomir to a		
	C	convenient st	ock concentration	on using the recommended volume of DEPC H2O (or		
	R	Nase-free w	ater). For examp	le: dissolve 10 nmol miRNA antagomir to 20 μM using		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com