

## **Product Data Sheet**

## hsa-miR-4778-3p miRNA Antagomir

Catalog #	Source	React	ivity	Applications	
CIJ1670	Synthetic	Н			
Description	Syr	Synthetic miRNA Antagomir is used to inhibit the activity of target hsa-miR-4778-3p			
	mF	RNA.			
Specificity	An	Antagomir is chemically-modified single-strand miRNA inhibitor functioning by			
	blo	blocking miRNA regulation of target gene expression efficiently. They are			ey are synthesized
	to	to reduce the ability of endogenous miRNAs to silence target mRNA tr			transcripts.
	Th	They can down-regulate the corresponding endogenous miRNAs. Our miRNA			
	an	antagomir is single-strand miRNA inhibitor carrying the chemically modification			
	fur	nctioning by	blocking miRNA r	egulation of target gene expression	efficiently.
Form	Lyc	ophilized po	wder		
Gene Symbol	hsa	a-miR-4778-	-3p		
Accession No.	MI	MAT001993	37		
Components	Th	is synthetic	miRNA is based or	n the mature miRNA sequence. The	strand of the
	an	tagomir has	2 phosphorothioa	ites at the 5' end, 4 phosphorothioa	ates, 1
	cho	olesterol gro	oup at the 3' end,	and full-length nucleotide 2'-metho	xy modification.
	Sta	bility of mif	RNA antagomir ap	pears to be significantly higher thar	ı miRNA
	inh	nibitors. It	exhibits enhanced	l cellular uptake, stability and regul	atory activity and
	is recommended for miRNA functional studies in vitro and in vivo.				
Directions for	<b>Use</b> Bri	Briefly centrifuge tubes containing miRNA antagomir to ensure that the miRNA			
pellet is located at the bottom of the tube. Dissolve miRNA antagor					nir to a
	соі	าvenient sto	ock concentration	using the recommended volume of	DEPC H2O (or

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

## **COHESION BIOSCIENCES LIMITED**

RNase-free water). For example: dissolve 10 nmol miRNA antagomir to 20 μM using





## **Product Data Sheet**

500 µl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

**COHESION BIOSCIENCES LIMITED**