

## **Product Data Sheet**

## hsa-miR-548x-5p miRNA Antagomir

Catalog #	Source	e	Reactivity	Applications
CIJ1900	Synthe	etic	Н	
Description		Synthet	ic miRNA Anta	gomir is used to inhibit the activity of target hsa-miR-548x-5p
		mRNA.		
Specificity		Antago	mir is chemical	ly-modified single-strand miRNA inhibitor functioning by
		blocking	g miRNA regula	ation of target gene expression efficiently. They are synthesized
		to redu	ce the ability o	f endogenous miRNAs to silence target mRNA transcripts.
		They ca	n down-regula	te the corresponding endogenous miRNAs. Our miRNA
		antagor	mir is single-str	and miRNA inhibitor carrying the chemically modifications
		function	ning by blockin	g miRNA regulation of target gene expression efficiently.
Form		Lyophili	zed powder	
Gene Symbol		hsa-mil	R-548x-5p	
Accession No.	•	MIMAT	0022733	
Components		This syr	nthetic miRNA i	s based on the mature miRNA sequence. The strand of the
		antagor	mir has 2 phosp	phorothioates at the 5' end, 4 phosphorothioates, 1
		cholest	erol group at th	ne 3' end, and full-length nucleotide 2'-methoxy modification.
		Stability	of miRNA ant	agomir appears to be significantly higher than miRNA
		inhibito	rs. It exhibits	enhanced cellular uptake, stability and regulatory activity and
		is recon	nmended for m	niRNA functional studies in vitro and in vivo.
Directions for	Use	Briefly	centrifuge tube	s containing miRNA antagomir to ensure that the miRNA
		pellet is	located at the	bottom of the tube. Dissolve miRNA antagomir to a

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC- Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

convenient stock concentration using the recommended volume of DEPC H2O (or

RNase-free water). For example: dissolve 10 nmol miRNA antagomir to 20 µM using

## **COHESION BIOSCIENCES LIMITED**





## **Product Data Sheet**

500 µl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability

Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

**COHESION BIOSCIENCES LIMITED**