

# **Product Data Sheet**

### hsa-miR-6721-5p miRNA Antagomir

Catalog #	Source	Reactivit	y Applications		
CIJ2028	Synthetic	: H			
Description	Sy	Synthetic miRNA Antagomir is used to inhibit the activity of target hsa-miR-6721-5p			
	m	IRNA.			
Specificity	A	ntagomir is chen	nically-modified single-strand miRNA inhibitor functioning by		
	bl	locking miRNA re	egulation of target gene expression efficiently. They are synthesized		
	tc	reduce the abil	ity of endogenous miRNAs to silence target mRNA transcripts.		
	Tł	hey can down-re	gulate the corresponding endogenous miRNAs. Our miRNA		
	ar	ntagomir is singl	e-strand miRNA inhibitor carrying the chemically modifications		
	fu	inctioning by blo	ocking miRNA regulation of target gene expression efficiently.		
Form	Ly	ophilized powde	er		
Gene Symbol	h	sa-miR-6721-5p			
Accession No.	. N	1IMAT0025852			
Components	Tł	his synthetic miR	NA is based on the mature miRNA sequence. The strand of the		
	ar	antagomir has 2 phosphorothioates at the 5' end, 4 phosphorothioates, 1			
	cł	nolesterol group	at the 3' end, and full-length nucleotide 2'-methoxy modification.		
	St	ability of miRNA	antagomir appears to be significantly higher than miRNA		
	in	hibitors. It exh	ibits enhanced cellular uptake, stability and regulatory activity and		
	is	recommended f	for miRNA functional studies in vitro and in vivo.		
Directions for Use Briefly cent		riefly centrifuge	tubes containing miRNA antagomir to ensure that the miRNA		
	pe	ellet is located at	t the bottom of the tube. Dissolve miRNA antagomir to a		
	CC	onvenient stock	concentration using the recommended volume of DEPC H2O (or		
	RI	Nase-free water;	). For example: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com