

## **Product Data Sheet**

# hsa-miR-892c-5p miRNA Antagomir

Catalog #	Source	Reactivity	Applications
CIJ2033	Synthetic	: H	
Description	Sy	nthetic miRNA A	Antagomir is used to inhibit the activity of target hsa-miR-892c-5p
	m	RNA.	
Specificity	A	ntagomir is chem	nically-modified single-strand miRNA inhibitor functioning by
	bl	ocking miRNA re	gulation of target gene expression efficiently. They are synthesized
	to	reduce the abili	ty of endogenous miRNAs to silence target mRNA transcripts.
	Tł	ney can down-re	gulate the corresponding endogenous miRNAs. Our miRNA
	ar	ntagomir is single	e-strand miRNA inhibitor carrying the chemically modifications
	fu	nctioning by blo	cking miRNA regulation of target gene expression efficiently.
Form	Ly	ophilized powde	r
Gene Symbol	hs	sa-miR-892c-5p	
Accession No.	. M	IIMAT0025857	
Components	Tł	nis synthetic miR	NA is based on the mature miRNA sequence. The strand of the
	ar	ntagomir has 2 p	hosphorothioates at the 5' end, 4 phosphorothioates, 1
	cł	olesterol group	at the 3' end, and full-length nucleotide 2'-methoxy modification.
	St	ability of miRNA	antagomir appears to be significantly higher than miRNA
	in	hibitors. It exh	ibits enhanced cellular uptake, stability and regulatory activity and
	is	recommended f	or miRNA functional studies in vitro and in vivo.
Directions for	Use Br	riefly centrifuge	ubes containing miRNA antagomir to ensure that the miRNA
	pe	ellet is located at	the bottom of the tube. Dissolve miRNA antagomir to a
	СС	onvenient stock o	concentration using the recommended volume of DEPC H2O (or
	RI	Nase-free water)	. For example: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com