

# **Product Data Sheet**

### hsa-miR-6769a-5p miRNA Antagomir

Catalog #	Source	Re	activity	Applications		
CIJ2201	Syntheti	c H				
Description	S	ynthetic m	niRNA Antago	mir is used to inhibit the activity of target hsa-miR-6769a-5p		
	n	nRNA.				
Specificity	А	ntagomir	is chemically	modified single-strand miRNA inhibitor functioning by		
	b	locking mi	RNA regulati	on of target gene expression efficiently. They are synthesized		
	to	o reduce t	he ability of e	endogenous miRNAs to silence target mRNA transcripts.		
	Т	hey can do	own-regulate	the corresponding endogenous miRNAs. Our miRNA		
	а	ntagomir i	s single-strar	d miRNA inhibitor carrying the chemically modifications		
	fu	unctioning	by blocking	miRNA regulation of target gene expression efficiently.		
Form	L	yophilized	powder			
Gene Symbol	h	sa-miR-67	69a-5p			
Accession No.	. N	/IMAT002	7438			
Components	Т	his synthe	tic miRNA is	based on the mature miRNA sequence. The strand of the		
	а	ntagomir l	nas 2 phosph	orothioates at the 5' end, 4 phosphorothioates, 1		
		cholesterol group at the 3' end, and full-length nucleotide 2'-methoxy modification.				
	S	tability of	miRNA antag	omir appears to be significantly higher than miRNA		
	ir	nhibitors.	It exhibits e	nhanced cellular uptake, stability and regulatory activity and		
	is	s recomme	ended for mif	NA functional studies in vitro and in vivo.		
<b>Directions for</b>	<b>Use</b> B	riefly cent	rifuge tubes	containing miRNA antagomir to ensure that the miRNA		
	р	ellet is loc	ated at the b	ottom of the tube. Dissolve miRNA antagomir to a		
	C	onvenient	stock concer	stration using the recommended volume of DEPC H2O (or		
	R	Nase-free	water). For e	xample: dissolve 10 nmol miRNA antagomir to 20 $\mu M$ using		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com