

Product Data Sheet

mmu-miR-466q miRNA Antagomir

Catalog #	Source	Reactivity	Applications
CIN1064	Synthetic	Μ	
Description	Sy	nthetic miRNA An	tagomir is used to inhibit the activity of target mmu-miR-466q
	ml	RNA.	
Specificity	An	tagomir is chemio	cally-modified single-strand miRNA inhibitor functioning by
	blo	ocking miRNA reg	ulation of target gene expression efficiently. They are synthesized
	to	reduce the ability	of endogenous miRNAs to silence target mRNA transcripts.
	Th	ey can down-regı	ulate the corresponding endogenous miRNAs. Our miRNA
	an	tagomir is single-	strand miRNA inhibitor carrying the chemically modifications
	fu	nctioning by block	king miRNA regulation of target gene expression efficiently.
Form	Lyo	ophilized powder	
Gene Symbol	mi	nu-miR-466q	
Accession No.	. M	MAT0020631	
Components	Th	is synthetic miRN	A is based on the mature miRNA sequence. The strand of the
	an	tagomir has 2 pho	osphorothioates at the 5' end, 4 phosphorothioates, 1
	ch	olesterol group at	t the 3' end, and full-length nucleotide 2'-methoxy modification.
	Sta	bility of miRNA a	ntagomir appears to be significantly higher than miRNA
	inł	nibitors. It exhib	its enhanced cellular uptake, stability and regulatory activity and
	is	ecommended for	r miRNA functional studies in vitro and in vivo.
Directions for	Use Bri	efly centrifuge tu	bes containing miRNA antagomir to ensure that the miRNA
	ре	llet is located at t	he bottom of the tube. Dissolve miRNA antagomir to a
	со	nvenient stock co	ncentration using the recommended volume of DEPC H2O (or
	RN	ase-free water).	For example: dissolve 10 nmol miRNA antagomir to 20 μM using

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

500 μl DEPC H2O (or RNase-free water). Pipette the solution up and down 3-5 times (or vortex briefly). Briefly centrifuge tubes containing miRNA antagomir to ensure that the solution is collected at the bottom of the tube. Aliquot the miRNA antagomir into small volumes and store at ≤ -20°C. miRNA antagomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com