

# **Product Data Sheet**

## mmu-miR-467d-3p miRNA Agomir

| Catalog #          | Source      | Reactivity   | Applications  |  |  |  |
|--------------------|-------------|--|---|--|--|--|
| CMN0524            | Synthetic   | Μ  |   |  |  |  |
| Description        | Synth       | etic miRNA Agomir is   | used to regulate the expression of target                 |  |  |  |
|                    | mmu-        | miR-467d-3p mRNA.  |   |  |  |  |
| Specificity        | Agom        | Agomir is chemically-modified double-strand miRNA mimics which can mimic         |   |  |  |  |
|                    | matur       | re endogenous miRNA  | s after transfection into cells. They can up-regulate the |  |  |  |
|                    | endog       | genous miRNA activity  | by utilizing the natural miRNA machinery. Our miRNA       |  |  |  |
|                    | agom        | agomir is designed to mimic mature miRNAs, and chemically modified to increase   |   |  |  |  |
|                    | their s     | stability and activity.  |   |  |  |  |
| Form               | Lyoph       | Lyophilized powder   |   |  |  |  |
| Gene Symbol        | mmu-        | mmu-miR-467d-3p  |   |  |  |  |
| Accession No.      | MIMA        | MIMAT0004887   |   |  |  |  |
| Components         | This s      | This synthetic miRNA is based on the mature miRNA sequence. The antisense strand |   |  |  |  |
|                    | of the      | agomir has 2 phosph  | orothioates at the 5' end, 4 phosphorothioates, 1         |  |  |  |
|                    | choles      | sterol group at the 3' o   | end, and full-length nucleotide 2'-methoxy modification.  |  |  |  |
|                    | lt exh      | ibits enhanced cellula   | r uptake, stability and regulatory activity in vivo.      |  |  |  |
| Directions for U   | Jse Briefly | y centrifuge tubes con   | taining miRNA agomir to ensure that the miRNA pellet is   |  |  |  |
|                    | locate      | ed at the bottom of th   | e tube. Dissolve miRNA agomir to a convenient stock       |  |  |  |
|                    | conce       | ntration using the rec   | ommended volume of DEPC H2O (or RNase-free water).        |  |  |  |
|                    | For ex      | ample: dissolve 5 nm   | ol miRNA agomir to 20 μM using 250 μl DEPC H2O (or        |  |  |  |
|                    | RNase       | e-free water). Pipette   | the solution up and down 3-5 times (or vortex briefly).   |  |  |  |
|                    | Briefly     | y centrifuge tubes con   | taining miRNA agomir to ensure that the solution is       |  |  |  |
| Application key: F |             |  | he tube. Aliquot the miRNA agomir into small volumes      |  |  |  |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

| WEB                 | ORDER                 | SUPPORT                     | CUSTOM                 |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |



## **Product Data Sheet**

and store at  $\leq$  -20°C. miRNA agomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

**Storage/Stability** Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com