

Product Data Sheet

rno-miR-29c-3p miRNA Agomir

Catalog #	Source	Reactivity	Applications	_		
CMS0071 S	Synthetic	R				
Description Synthetic miRNA Agomir is used to regulate the expression of target rno-mi				c-3p		
	mRNA	۸.				
Specificity	Agom	ir is chemically-modi	fied double-strand miRNA mimics which can mimic			
	matur	e endogenous miRN	As after transfection into cells. They can up-regulate	e the		
	endog	genous miRNA activit	y by utilizing the natural miRNA machinery. Our mil	RNA		
	agomi	ir is designed to mimi	ic mature miRNAs, and chemically modified to increas	se		
	their s	stability and activity.				
Form	Lyoph	ilized powder				
Gene Symbol	rno-m	iR-29c-3p				
Accession No.	MIMA	т0000803				
Components	This sy	This synthetic miRNA is based on the mature miRNA sequence. The antisense strand				
	of the	agomir has 2 phosph	norothioates at the 5' end, 4 phosphorothioates, 1			
	choles	sterol group at the 3'	end, and full-length nucleotide 2'-methoxy modificat	ion.		
	lt exhi	ibits enhanced cellula	ar uptake, stability and regulatory activity in vivo.			
Directions for U	se Briefly	/ centrifuge tubes co	ntaining miRNA agomir to ensure that the miRNA pell	let is		
	locate	d at the bottom of th	ne tube. Dissolve miRNA agomir to a convenient stock	(
	conce	ntration using the re	commended volume of DEPC H2O (or RNase-free wat	ter).		
	For ex	ample: dissolve 5 nm	nol miRNA agomir to 20 μ M using 250 μ l DEPC H2O (c	or		
	RNase	e-free water). Pipette	the solution up and down 3-5 times (or vortex briefly	/).		
	Briefly	/ centrifuge tubes co	ntaining miRNA agomir to ensure that the solution is			
	collec	ted at the bottom of	the tube. Aliquot the miRNA agomir into small volum	ies		
Accession No. Components	MIMA This sy of the choles It exhi se Briefly locate conce For ex RNase Briefly	0000803				

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

and store at \leq -20°C. miRNA agomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com