

# **Product Data Sheet**

## rno-miR-30e-3p miRNA Agomir

Catalog #	Source	Reactivity	Applications			
CMS0257	Synthetic	R				
Description	Synth	Synthetic miRNA Agomir is used to regulate the expression of target rno-miR-30e-3p				
	mRNA	۹.				
Specificity	Agom	Agomir is chemically-modified double-strand miRNA mimics which can mimic				
	matu	re endogenous miRNA	s after transfection into cells. They can up-regulate the			
	endo	genous miRNA activity	by utilizing the natural miRNA machinery. Our miRNA			
	agom	agomir is designed to mimic mature miRNAs, and chemically modified to increase				
	their	stability and activity.				
Form	Lyoph	nilized powder				
Gene Symbol	rno-m	rno-miR-30e-3p				
Accession No.	MIMA	MIMAT0004720				
Components	This s	This synthetic miRNA is based on the mature miRNA sequence. The antisense strand				
	of the	e agomir has 2 phosph	orothioates at the 5' end, 4 phosphorothioates, 1			
	chole	sterol group at the 3'	end, and full-length nucleotide 2'-methoxy modification.			
	lt exh	ibits enhanced cellula	r uptake, stability and regulatory activity in vivo.			
Directions for U	Jse Briefly	y centrifuge tubes con	taining miRNA agomir to ensure that the miRNA pellet is			
	locate	ed at the bottom of th	e tube. Dissolve miRNA agomir to a convenient stock			
	conce	entration using the rec	ommended volume of DEPC H2O (or RNase-free water).			
	For ex	kample: dissolve 5 nm	ol miRNA agomir to 20 μM using 250 μl DEPC H2O (or			
	RNase	e-free water). Pipette	the solution up and down 3-5 times (or vortex briefly).			
	Brief	y centrifuge tubes con	taining miRNA agomir to ensure that the solution is			
	collec	ted at the bottom of t	he tube. Aliquot the miRNA agomir into small volumes			
Application kow		lostorn blot IH Immunol	nistochomistry IE Immunofluorosconco EC Elow outomotry IC			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

and store at  $\leq$  -20°C. miRNA agomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

**Storage/Stability** Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com