

Product Data Sheet

rno-miR-667-3p miRNA Agomir

Catalog #	Source	Reactivity	Applications			
CMS0370	Synthetic	R				
Description	Synth	Synthetic miRNA Agomir is used to regulate the expression of target rno-miR-667-3p				
	mRNA	۹.				
Specificity	Agom	ir is chemically-modif	ed double-strand miRNA mimics which can mimic			
	matu	re endogenous miRNA	s after transfection into cells. They can up-regulate t	he		
	endo	genous miRNA activity	by utilizing the natural miRNA machinery. Our miRN	IA		
	agom	ir is designed to mimi	c mature miRNAs, and chemically modified to increase			
	their	stability and activity.				
Form	Lyoph	ilized powder				
Gene Symbol	rno-m	rno-miR-667-3p				
Accession No.	MIMA	MIMAT0012852				
Components	This s	This synthetic miRNA is based on the mature miRNA sequence. The antisense strand				
	of the	agomir has 2 phosph	orothioates at the 5' end, 4 phosphorothioates, 1			
	chole	sterol group at the 3' o	end, and full-length nucleotide 2'-methoxy modificatio	n.		
	lt exh	ibits enhanced cellula	r uptake, stability and regulatory activity in vivo.			
Directions for L	Jse Briefly	Briefly centrifuge tubes containing miRNA agomir to ensure that the miRNA pellet is				
	locate	ed at the bottom of the	e tube. Dissolve miRNA agomir to a convenient stock			
	conce	entration using the rec	ommended volume of DEPC H2O (or RNase-free water	r).		
	For ex	ample: dissolve 5 nm	ol miRNA agomir to 20 μ M using 250 μ l DEPC H2O (or			
	RNase	e-free water). Pipette	the solution up and down 3-5 times (or vortex briefly).			
	Briefly	y centrifuge tubes con	taining miRNA agomir to ensure that the solution is			
	collec	ted at the bottom of t	he tube. Aliquot the miRNA agomir into small volumes	5		
Application key:		lestern blot IH- Immunol	histochemistry, IE- Immunofluorescence, EC- Elow cytometry, I	c		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



Product Data Sheet

and store at \leq -20°C. miRNA agomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

Storage/Stability Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com