

# **Product Data Sheet**

## rno-miR-130b-5p miRNA Agomir

| Catalog #        | Source    | Reactivity   | Applications   |  |  |  |
|------------------|-----------|--|--|--|--|--|
| CMS0425          | Synthetic | R  |  |  |  |  |
| Description      | Synth     | Synthetic miRNA Agomir is used to regulate the expression of target              |  |  |  |  |
|                  | rno-n     | niR-130b-5p mRNA.  |  |  |  |  |
| Specificity      | Agom      | Agomir is chemically-modified double-strand miRNA mimics which can mimic         |  |  |  |  |
|                  | matu      | re endogenous miRNA  | as after transfection into cells. They can up-regulate the   |  |  |  |
|                  | endo      | genous miRNA activity  | v by utilizing the natural miRNA machinery. Our miRNA        |  |  |  |
|                  | agom      | agomir is designed to mimic mature miRNAs, and chemically modified to increase   |  |  |  |  |
|                  | their     | stability and activity.  |  |  |  |  |
| Form             | Lyoph     | Lyophilized powder   |  |  |  |  |
| Gene Symbol      | rno-n     | rno-miR-130b-5p  |  |  |  |  |
| Accession No.    | MIM       | MIMAT0017122   |  |  |  |  |
| Components       | This s    | This synthetic miRNA is based on the mature miRNA sequence. The antisense strand |  |  |  |  |
|                  | of the    | e agomir has 2 phosph  | orothioates at the 5' end, 4 phosphorothioates, 1            |  |  |  |
|                  | chole     | sterol group at the 3'   | end, and full-length nucleotide 2'-methoxy modification.     |  |  |  |
|                  | lt exh    | ibits enhanced cellula   | r uptake, stability and regulatory activity in vivo.         |  |  |  |
| Directions for L | Jse Brief | y centrifuge tubes cor   | taining miRNA agomir to ensure that the miRNA pellet is      |  |  |  |
|                  | locate    | ed at the bottom of th   | e tube. Dissolve miRNA agomir to a convenient stock          |  |  |  |
|                  | conce     | entration using the rec  | commended volume of DEPC H2O (or RNase-free water).          |  |  |  |
|                  | For ex    | xample: dissolve 5 nm  | ol miRNA agomir to 20 $\mu$ M using 250 $\mu$ l DEPC H2O (or |  |  |  |
|                  | RNase     | e-free water). Pipette   | the solution up and down 3-5 times (or vortex briefly).      |  |  |  |
|                  | Brief     | y centrifuge tubes cor   | taining miRNA agomir to ensure that the solution is          |  |  |  |
|                  |           |  | the tube. Aliquot the miRNA agomir into small volumes        |  |  |  |

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

| WEB                 | ORDER                 | SUPPORT                     | CUSTOM                 |
|---------------------|-----------------------|-----------------------------|------------------------|
| www.cohesionbio.com | order@cohesionbio.com | techsupport@cohesionbio.com | custom@cohesionbio.com |



### **Product Data Sheet**

and store at  $\leq$  -20°C. miRNA agomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

**Storage/Stability** Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com