

# **Product Data Sheet**

## rno-miR-376c-5p miRNA Agomir

Catalog #	Source	Reactivity	Applications		
CMS0495	Synthetic	R			
Description	Synth	Synthetic miRNA Agomir is used to regulate the expression of target			
	rno-m	niR-376c-5p mRNA.			
Specificity	Agom	Agomir is chemically-modified double-strand miRNA mimics which can mimic			
	matu	re endogenous miRNA	s after transfection into cells. They can up-regulate the		
	endo	genous miRNA activity	by utilizing the natural miRNA machinery. Our miRNA		
	agom	ir is designed to mimic	mature miRNAs, and chemically modified to increase		
	their	stability and activity.			
Form	Lyoph	ilized powder			
Gene Symbol	rno-m	rno-miR-376c-5p			
Accession No.	MIMA	MIMAT0017219			
Components	This s	ynthetic miRNA is bas	ed on the mature miRNA sequence. The antisense strand		
	of the	e agomir has 2 phosph	orothioates at the 5' end, 4 phosphorothioates, 1		
	chole	sterol group at the 3' e	end, and full-length nucleotide 2'-methoxy modification.		
	It exh	ibits enhanced cellula	r uptake, stability and regulatory activity in vivo.		
Directions for U	se Briefly	y centrifuge tubes con	taining miRNA agomir to ensure that the miRNA pellet is		
	locate	ed at the bottom of the	e tube. Dissolve miRNA agomir to a convenient stock		
	conce	entration using the rec	ommended volume of DEPC H2O (or RNase-free water).		
	For ex	ample: dissolve 5 nm	ol miRNA agomir to 20 $\mu$ M using 250 $\mu$ l DEPC H2O (or		
	RNase	e-free water). Pipette	he solution up and down 3-5 times (or vortex briefly).		
	Briefl	y centrifuge tubes con	taining miRNA agomir to ensure that the solution is		
	collec	ted at the bottom of t	he tube. Aliquot the miRNA agomir into small volumes		
Application key: F	- FLISA, WB- W	/estern blot. IH- Immunol	istochemistry. IF- Immunofluorescence. FC- Flow cytometry. IC-		

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

and store at  $\leq$  -20°C. miRNA agomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

**Storage/Stability** Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com