

# **Product Data Sheet**

## rno-miR-3596d miRNA Agomir

Catalog #	Source	Reactivity	Applications			
CMS0591	Synthetic	R				
Description	Synth	etic miRNA Agomir is	used to regulate the expression of target rno-miR-3596d			
	mRNA	۹.				
Specificity	Agom	ir is chemically-modif	ied double-strand miRNA mimics which can mimic			
	matu	re endogenous miRN	As after transfection into cells. They can up-regulate the			
	endo	genous miRNA activit	y by utilizing the natural miRNA machinery. Our miRNA			
	agom	ir is designed to mimi	c mature miRNAs, and chemically modified to increase			
	their	stability and activity.				
Form	Lyoph	Lyophilized powder				
Gene Symbol	rno-n	rno-miR-3596d				
Accession No.	MIMA	MIMAT0017823				
Components	This s	This synthetic miRNA is based on the mature miRNA sequence. The antisense strand				
	of the	e agomir has 2 phosph	orothioates at the 5' end, 4 phosphorothioates, 1			
	chole	sterol group at the 3'	end, and full-length nucleotide 2'-methoxy modification.			
	lt exh	ibits enhanced cellula	r uptake, stability and regulatory activity in vivo.			
Directions for U	Jse Briefl	y centrifuge tubes cor	ntaining miRNA agomir to ensure that the miRNA pellet is			
	locate	ed at the bottom of th	e tube. Dissolve miRNA agomir to a convenient stock			
	conce	entration using the red	commended volume of DEPC H2O (or RNase-free water).			
	For ex	kample: dissolve 5 nm	ol miRNA agomir to 20 $\mu$ M using 250 $\mu$ l DEPC H2O (or			
	RNase	e-free water). Pipette	the solution up and down 3-5 times (or vortex briefly).			
	Brief	y centrifuge tubes cor	ntaining miRNA agomir to ensure that the solution is			
	collec	ted at the bottom of	the tube. Aliquot the miRNA agomir into small volumes			
Application kov:		lestern blot IH- Immuno	histochemistry IE- Immunofluorescence, EC- Elow cytometry IC-			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com



## **Product Data Sheet**

and store at  $\leq$  -20°C. miRNA agomir is stable (for 6 months under the specified storage condition). For best results, use in 3 months and limit freeze-thaw events for each tube no more than five times.

**Storage/Stability** Shipped at 4 °C. Store at -20 °C for one year. Avoid freeze-thaw cycles after reconstitution.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com