

Product Data Sheet

Anti-Musculin Antibody

Catalog #	Source	Reactivity	Applications
CPA4741	Rabbit	H, M, B, C, Mk, P	WB, IH
			·
Description	F	Rabbit polyclonal antibody to N	lusculin
Immunogen	K	KLH-conjugated synthetic pepties	de encompassing a sequence within the C-term
	r	region of human Musculin. The	exact sequence is proprietary.
Purification	Т	The antibody was purified by in	imunogen affinity chromatography.
Specificity	F	Recognizes endogenous levels o	f Musculin protein.
Clonality	P	Polyclonal	
Conjugation			
Form	L	iquid in 0.42% Potassium phos	phate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,
	а	and 0.01% sodium azide.	
Dilution	V	WB (1/500 - 1/1000), IH (1/100 -	1/200)
Gene Symbol	Ν	MSC	
Alternative Na	ames A	ABF1; BHLHA22; Musculin; Acti	vated B-cell factor 1; ABF-1; Class A basic
	h	nelix-loop-helix protein 22; bHL	Ha22
Entrez Gene	9	9242 (Human)	
SwissProt	C	D60682 (Human)	
Storage/Stabi	lity S	Shipped at 4°C. Upon delivery a	liquot and store at -20°C for one year. Avoid
	f	reeze/thaw cycles.	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com


Cohesion

kDa A

20 15 For research purposes only, not for human use

Product Data Sheet

Western blot analysis of Musculin expression in mouse brain (A) whole cell lysates. (Predicted band size: 22 kD; Observed band size: 22 kD)



Immunohistochemical analysis of Musculin staining in human lymphoma formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

COHESION BIOSCIENCES LIMITED

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com