

## **Product Data Sheet**

## **Anti-Layilin Antibody**

Catalog #	Source	Reactivity	Applications		
CPA5261	Rabbit	Н	WB, IH		
Description	F	Rabbit polyclonal antibody	<i>i</i> to Layilin		
Immunogen	K	(LH-conjugated synthetic	peptide encompassing a sequence within the center		
	r	region of human Layilin. The exact sequence is proprietary.			
Purification		The antibody was purified by immunogen affinity chromatography.			
Specificity Recognizes endogenous levels of Layilin protein.					
Clonality	P	Polyclonal			
Conjugation					
Form		Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,			
	а	and 0.01% sodium azide.			
Dilution	V	NB (1/500 - 1/1000), IH (1/	50 - 1/100)		
Gene Symbol	L	AYN			
Alternative Na	ames L	ayilin			
Entrez Gene	1	43903 (Human)			
SwissProt	C	Q6UX15 (Human)			
Storage/Stabi	lity S	hipped at 4°C. Upon deliv	ery aliquot and store at -20°C for one year. Avoid		
	f	reeze/thaw cycles.			

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish


#### **COHESION BIOSCIENCES LIMITED**

WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com


# Coherion

For research purposes only, not for human use

# **Product Data Sheet**



Western blot analysis of Layilin expression in HEK293T (A), Hela (B), H446 (C) whole cell lysates. (Predicted band size: 43 kD; Observed band size: 43 kD)



Immunohistochemical analysis of Layilin staining in rat brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com