

## **Product Data Sheet**

### Anti-Collagen 4 alpha 3 Antibody

Catalog #	Source	Reactivity	Applications
CPA5943	Rabbit	Н	WB, IH, IF/IC
CFA5945			
Description	F	Rabbit polyclonal antibod	y to Collagen 4 alpha 3
Immunogen	ķ	KLH-conjugated synthetic	peptide encompassing a sequence within the center
	r	region of human Collagen	4 alpha 3. The exact sequence is proprietary.
Purification	٦	The antibody was purified	by immunogen affinity chromatography.
Specificity	F	Recognizes endogenous le	vels of Collagen 4 alpha 3 protein.
Clonality	F	Polyclonal	
Conjugation			
Form	L	iquid in 0.42% Potassium.	phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol,
	a	and 0.01% sodium azide.	
Dilution	١	WB (1/500 - 1/1000), IH (1/	50 - 1/200), IF/IC (1/100 - 1/500)
Gene Symbol	(	COL4A3	
Alternative Na	ames (	Collagen alpha-3(IV) chair	; Goodpasture antigen
Entrez Gene	1	1285 (Human)	
SwissProt	(	Q01955 (Human)	
Storage/Stabi	lity S	Shipped at 4°C. Upon deliv	very aliquot and store at -20°C for one year. Avoid
	f	reeze/thaw cycles.	

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

#### **COHESION BIOSCIENCES LIMITED**


WEB	ORDER	SUPPORT	CUSTOM
www.cohesionbio.com	order@cohesionbio.com	techsupport@cohesionbio.com	custom@cohesionbio.com

# Cohesion


For research purposes only, not for human use

## **Product Data Sheet**

**kDa** A B 180 130 95 Western blot analysis of Collagen 4 alpha 3 expression in HEK293T (A), SGC7901 (B) whole cell lysates. (Predicted band size: 161 kD; Observed band size: 130 kD)



Immunohistochemical analysis of Collagen 4 alpha 3 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Immunofluorescent analysis of Collagen 4 alpha 3 staining in COS7 cells. Formalin-fixed cells were permeabilized with 0.1% Triton X-100 in TBS for 5-10 minutes and blocked with 3% BSA-PBS for 30 minutes at room temperature. Cells were probed with the primary antibody in 3% BSA-PBS and incubated overnight at 4 °C in a hidified chamber. Cells were washed with PBST and incubated with a Alexa Fluor 594-conjugated secondary antibody (red) in PBS at room temperature in the dark.

Application key: E- ELISA, WB- Western blot, IH- Immunohistochemistry, IF- Immunofluorescence, FC- Flow cytometry, IC-Immunocytochemistry, IP- Immunoprecipitation, ChIP- Chromatin Immunoprecipitation, EMSA- Electrophoretic Mobility Shift Assay, BL- Blocking, SE- Sandwich ELISA, CBE- Cell-based ELISA, RNAi- RNA interference Species reactivity key: H- Human, M- Mouse, R- Rat, B- Bovine, C- Chicken, D- Dog, G- Goat, Mk- Monkey, P- Pig, Rb-Rabbit, S- Sheep, Z- Zebrafish

### **COHESION BIOSCIENCES LIMITED**

WEBORDERSUPPORTCUSTOMwww.cohesionbio.comorder@cohesionbio.comtechsupport@cohesionbio.comcustom@cohesionbio.com